Contents to volume 279

Research Letters

B–Z DNA reversible conformation changes effected by high pressure (FEBS 09340) *A. Krzyżaniak, P. Salański, J. Jurczak, J. Barciszewski* 1

Evidence for gene duplication forming similar binding folds for NAD(P)H and FAD in pyridine nucleotide-dependent flavoenzymes (FEBS 09357) *J.H. McKie, K.T. Douglas* 5

Highly conserved sequences in the 3'-untranslated region of the COL1A1 gene bind cell-specific nuclear proteins (FEBS 09367) *A. Määttä, P. Bornstein, R.P.K. Penttinen* 9

Characterization of a novel zinc binding site of protein kinase C inhibitor-1 (FEBS 09364) *N.M. Mozier, M.P. Walsh, J.D. Pearson* 14

Induction of programmed cell death (apoptosis) in mature lymphocytes (FEBS 09365) *M. Lucas, F. Solano, A. Sanz* 19

2D crystal forms of annexin IV on lipid monolayers (FEBS 09366) *R.H. Newman, K. Leonard, M.J. Crumpton* 21

Identification of the protein and cDNA of the cardiac Na^+/H^+ exchanger (FEBS 09368) *L. Fliegel, C. Sardet, J. Pouyssegur, A. Barr* 25

Triiodide reduction by cellobiose:quinone oxidoreductase of *Phanerochaete chrysosporium* (FEBS 09369) *W. Bao, V. Renganathan* 30

Effects of hypothalamic peptides on electrical activity and membrane currents of 'patch perforated' clamped GH_3 anterior pituitary cells (FEBS 09370) *F. Barros, L.M. Delgado, C. Maciá, P. de la Peña* 33

Amino acid sequences of nerve growth factors derived from cobra venoms (FEBS 09371) *S. Inoue, T. Oda, J. Koyama, K. Ikeda, K. Hayashi* 38

Isolation of a new gene (*SWA2*) encoding an α-amylase from *Schwanniomyces occidentalis* and its expression in *Saccharomyces cerevisiae* (FEBS 09374) *D. Abarca, M. Fernández-Lobato, L. del Pozo, A. Jiménez* 41

Effects of the general anaesthetic Propofol on the Ca^{2+}-induced permeabilization of rat liver mitochondria (FEBS 09375) *O. Eriksson* 45

Physico-chemical properties of actin cleaved with bacterial protease from *E. coli* A2 strain (FEBS 09373) *S.Y. Khaitlina, J.H. Collins, I.M. Kuznetsova, V.P. Pershina, I.G. Synakevich, K.K. Turoverov, A.M. Usmanova* 49

An upward shift of intracellular pH rather than the final absolute pH value is critical for controlling gap junction permeability in tumor promoter-treated cells (FEBS 09376) *I. Budunova, L.A. Mittelman, L.B. Margolis* 52

The decreased level of casein kinase 2 in brain cortex of schizophrenic and Alzheimer's disease patients (FEBS 09377) *M.V. Aksenova, G.S. Burbaeva, K.V. Kandror, D.V. Kapkov, A.S. Stepanov* 55

Inositol 1,4,5-trisphosphate activity in membranes isolated from amphibian skeletal muscle (FEBS 09379) *X. Sánchez, M.A. Carrasco, J. Vergara, C. Hidalgo* 58

The 5–55 single-disulphide intermediate in folding of bovine pancreatic trypsin inhibitor (FEBS 09378) *N.J. Darby, C.P.M. van Mierlo, T.E. Creighton* 61

Absence of calponin phosphorylation in contracting or resting arterial smooth muscle (FEBS 09382) *M. Bárány, A. Rokolya, K. Bárány* 65

Characterization of a chicken polyubiquitin gene preferentially expressed during spermatogenesis (FEBS 09383) *J. Mezquita, C. Mezquita* 69

A structure-derived sequence pattern for the detection of type I copper binding domains in distantly related proteins (FEBS 09384) *C. Ouzounis, C. Sander* 73

Does aminotriazole inhibit import of catalase into peroxisomes by retarding unfolding? (FEBS 09333) *E. Middelkoop, A. Strijland, J.M. Tager* 79

ATP-dependent leukotriene export from mastocytoma cells (FEBS 09346) *T. Schaub, T. Ishikawa, D. Keppler* 83

A chimeric D_2 dopamine/m1 muscarinic receptor with D_2 binding specificity mobilizes intracellular calcium in response to dopamine (FEBS 09352) *B.P. England, M.S. Ackerman, R.W. Barrett* 87

Proteolytic inactivation of human α_1 antitrypsin by human stromelysin (FEBS 09372) *P.G. Winyard, Z. Zhang, K. Chidwick, D.R. Blake, R.W. Carrell, G. Murphy* 91

ATP-sensitive K channels in heart muscle: Spare channels (FEBS 09380) *I. Findlay, J.-F. Faivre* 95

G_o associates with another 40 kDa brain protein (FEBS 09381) *B.M. Denker, E.J. Neer* 98

A new family of small (5 kDa) protein inhibitors of insect α-amylases from seeds or sorghum (*Sorghum bicolor* (L) Moench) have sequence homologies with wheat γ-purothionins (FEBS 09385) *C. Bloch Jr, M. Richardson* 101

A 28 kDa mitochondrial protein is radiolabelled by crosslinking with a ^{125}I-labelled presequence (FEBS 09386) *B. Font, D. Goldschmidt, J.F. Chich, M. Thieffry, J.P. Henry, D.C. Gautheron* 105

The oxygenation of cholesterol esters by the reticulocyte lipoxygenase (FEBS 09387) *J. Belkner, R. Wiesner, H. Kühn, V.Z. Lankin* 110

Rapid purification of protein phosphatase 2A from mouse brain by microcystin-affinity chromatography (FEBS 09388) *S. Nishiwaki, H. Fujiki, M. Suganuma, R. Nishiwaki-Matsushima, T. Sugimura* 115

Closely related isozymes of alcohol dehydrogenase: Carboxymethylation: $\gamma_1\gamma_1$ differs widely from both $\beta_1\beta_1$ and its equine equivalence EE (FEBS 09389) *J. Johansson, B.L. Vallee, H. Jörnvall* 119

Modulation of protease specificity by a change in the enzyme microenvironment: Selectivity modification on a model substrate, purified soluble proteins and gluten (FEBS 09391) *P. Hertmanni, E. Picque, D. Thomas, V. Larreta-Garde* 123

Induction of morphological change by tyrosine kinase inhibitors in Rous sarcoma virus-transformed rat kidney cells (FEBS 09392) *K. Umezawa, K. Tanaka, T. Hori, S. Abe, R. Sekizawa, M. Imoto* 132

Neoplastic epithelial cells express α-subunit of muscle nicotinic acetylcholine receptor in thymomas from patients with myasthenia gravis (FEBS 09393) *Y. Hara, S. Ueno, T. Uemichi, N. Takahashi, S. Yorifuji, Y. Fujii, S. Tarui* 137

The protein kinase inhibitor, K-252a, decreases elicitor-induced Ca^{2+} uptake and K^+ release, and increases coumarin synthesis in parsley cells (FEBS 09394) *U. Conrath, W. Jeblick, H. Kauss* 141

Quinone methide as a reactive intermediate formed during the biosynthesis of papiliochrome II, a yellow wing pigment of papilionid butterflies (FEBS 09395) *S.J. Saul, M. Sugumaran* 145

cDNA cloning of a novel cdc2$^+$/CDC28-related protein kinase from rice (FEBS 09396) *S. Hata* 149

Differential effect of extracellular calcium on the Na^+-K^+ pump activity in intact polymorphonuclear leucocytes and erythrocytes (FEBS 09397) *R.H. Petersen, T. Knudsen, T. Johansen* 153

Book Review 157

Notes to Authors 167

Announcements 169

Errata 170

Published by Elsevier Science Publishers B.V.

Contents to volume 279

Research Letters

B–Z DNA reversible conformation changes effected by high pressure (FEBS 09340) *A. Krzyżaniak, P. Salański, J. Jurczak, J. Barciszewski* 1

Evidence for gene duplication forming similar binding folds for NAD(P)H and FAD in pyridine nucleotide-dependent flavoenzymes (FEBS 09357) *J.H. McKie, K.T. Douglas* 5

Highly conserved sequences in the 3'-untranslated region of the COL1A1 gene bind cell-specific nuclear proteins (FEBS 09367) *A. Määttä, P. Bornstein, R.P.K. Penttinen* 9

Characterization of a novel zinc binding site of protein kinase C inhibitor-1 (FEBS 09364) *N.M. Mozier, M.P. Walsh, J.D. Pearson* 14

Induction of programmed cell death (apoptosis) in mature lymphocytes (FEBS 09365) *M. Lucas, F. Solano, A. Sanz* 19

2D crystal forms of annexin IV on lipid monolayers (FEBS 09366) *R.H. Newman, K. Leonard, M.J. Crumpton* 21

Identification of the protein and cDNA of the cardiac Na^+/H^+ exchanger (FEBS 09368) *L. Fliegel, C. Sardet, J. Pouyssegur, A. Barr* 25

Triiodide reduction by cellobiose:quinone oxidoreductase of *Phanerochaete chrysosporium* (FEBS 09369) *W. Bao, V. Renganathan* 30

Effects of hypothalamic peptides on electrical activity and membrane currents of 'patch perforated' clamped GH_3 anterior pituitary cells (FEBS 09370) *F. Barros, L.M. Delgado, C. Maciá, P. de la Peña* 33

Amino acid sequences of nerve growth factors derived from cobra venoms (FEBS 09371) *S. Inoue, T. Oda, J. Koyama, K. Ikeda, K. Hayashi* 38

Isolation of a new gene (*SWA2*) encoding an α-amylase from *Schwanniomyces occidentalis* and its expression in *Saccharomyces cerevisiae* (FEBS 09374) *D. Abarca, M. Fernández-Lobato, L. del Pozo, A. Jiménez* 41

Effects of the general anaesthetic Propofol on the Ca^{2+}-induced permeabilization of rat liver mitochondria (FEBS 09375) *O. Eriksson* 45

Physico-chemical properties of actin cleaved with bacterial protease from *E. coli* A2 strain (FEBS 09373) *S.Y. Khaitlina, J.H. Collins, I.M. Kuznetsova, V.P. Pershina, I.G. Synakevich, K.K. Turoverov, A.M. Usmanova* 49

An upward shift of intracellular pH rather than the final absolute pH value is critical for controlling gap junction permeability in tumor promoter-treated cells (FEBS 09376) *I. Budunova, L.A. Mittelman, L.B. Margolis* 52

The decreased level of casein kinase 2 in brain cortex of schizophrenic and Alzheimer's disease patients (FEBS 09377) *M.V. Aksenova, G.S. Burbaeva, K.V. Kandror, D.V. Kapkov, A.S. Stepanov* 55

Inositol 1,4,5-trisphosphate activity in membranes isolated from amphibian skeletal muscle (FEBS 09379) *X. Sánchez, M.A. Carrasco, J. Vergara, C. Hidalgo* 58

The 5–55 single-disulphide intermediate in folding of bovine pancreatic trypsin inhibitor (FEBS 09378) *N.J. Darby, C.P.M. van Mierlo, T.E. Creighton* 61

Absence of calponin phosphorylation in contracting or resting arterial smooth muscle (FEBS 09382) *M. Bárány, A. Rokolya, K. Bárány* 65

Characterization of a chicken polyubiquitin gene preferentially expressed during spermatogenesis (FEBS 09383) *J. Mezquita, C. Mezquita* 69

A structure-derived sequence pattern for the detection of type I copper binding domains in distantly related proteins (FEBS 09384) *C. Ouzounis, C. Sander* 73

Does aminotriazole inhibit import of catalase into peroxisomes by retarding unfolding? (FEBS 09333) *E. Middelkoop, A. Strijland, J.M. Tager* 79

ATP-dependent leukotriene export from mastocytoma cells (FEBS 09346) *T. Schaub, T. Ishikawa, D. Keppler* 83

A chimeric D_2 dopamine/m1 muscarinic receptor with D_2 binding specificity mobilizes intracellular calcium in response to dopamine (FEBS 09352) *B.P. England, M.S. Ackerman, R.W. Barrett* 87

Proteolytic inactivation of human α_1 antitrypsin by human stromelysin (FEBS 09372) *P.G. Winyard, Z. Zhang, K. Chidwick, D.R. Blake, R.W. Carrell, G. Murphy* 91

ATP-sensitive K channels in heart muscle: Spare channels (FEBS 09380) *I. Findlay, J.-F. Faivre* 95

G_o associates with another 40 kDa brain protein (FEBS 09381) *B.M. Denker, E.J. Neer* 98

A new family of small (5 kDa) protein inhibitors of insect α-amylases from seeds or sorghum (*Sorghum bicolor* (L) Moench) have sequence homologies with wheat γ-purothionins (FEBS 09385) *C. Bloch Jr, M. Richardson* 101

A 28 kDa mitochondrial protein is radiolabelled by crosslinking with a ^{125}I-labelled presequence (FEBS 09386) *B. Font, D. Goldschmidt, J.F. Chich, M. Thieffry, J.P. Henry, D.C. Gautheron* 105

The oxygenation of cholesterol esters by the reticulocyte lipoxygenase (FEBS 09387) *J. Belkner, R. Wiesner, H. Kühn, V.Z. Lankin* 110

Rapid purification of protein phosphatase 2A from mouse brain by microcystin-affinity chromatography (FEBS 09388) *S. Nishiwaki, H. Fujiki, M. Suganuma, R. Nishiwaki-Matsushima, T. Sugimura* 115

Closely related isozymes of alcohol dehydrogenase: Carboxymethylation: $\gamma_1\gamma_1$ differs widely from both $\beta_1\beta_1$ and its equine equivalence EE (FEBS 09389) *J. Johansson, B.L. Vallee, H. Jörnvall* 119

Modulation of protease specificity by a change in the enzyme microenvironment: Selectivity modification on a model substrate, purified soluble proteins and gluten (FEBS 09391) *P. Hertmanni, E. Picque, D. Thomas, V. Larreta-Garde* 123

Induction of morphological change by tyrosine kinase inhibitors in Rous sarcoma virus-transformed rat kidney cells (FEBS 09392) *K. Umezawa, K. Tanaka, T. Hori, S. Abe, R. Sekizawa, M. Imoto* 132

Neoplastic epithelial cells express α-subunit of muscle nicotinic acetylcholine receptor in thymomas from patients with myasthenia gravis (FEBS 09393) *Y. Hara, S. Ueno, T. Uemichi, N. Takahashi, S. Yorifuji, Y. Fujii, S. Tarui* 137

The protein kinase inhibitor, K-252a, decreases elicitor-induced Ca^{2+} uptake and K^+ release, and increases coumarin synthesis in parsley cells (FEBS 09394) *U. Conrath, W. Jeblick, H. Kauss* 141

Quinone methide as a reactive intermediate formed during the biosynthesis of papiliochrome II, a yellow wing pigment of papilionid butterflies (FEBS 09395) *S.J. Saul, M. Sugumaran* 145

cDNA cloning of a novel cdc2$^+$/CDC28-related protein kinase from rice (FEBS 09396) *S. Hata* 149

Differential effect of extracellular calcium on the Na^+-K^+ pump activity in intact polymorphonuclear leucocytes and erythrocytes (FEBS 09397) *R.H. Petersen, T. Knudsen, T. Johansen* 153

Book Review 157

Notes to Authors 167

Announcements 169

Errata 170

Published by Elsevier Science Publishers B.V.

Hypothesis

A conformational switch involving the 915 region of *Escherichia coli* 16 S ribosomal RNA (FEBS 09423) *D. Leclerc, L. Brakier-Gingras* 171

Research Letters

Immunogold localisation of ubiquitin-protein conjugates in primary (azurophilic) granules of polymorphonuclear neutrophils (FEBS 09398) *L. László, F.J. Doherty, A. Watson, T. Self, M. Landon, J. Lowe, R.J. Mayer* 175

Influence of thyroid hormone on ADP-ribosylation of nuclear proteins in cultured GH1 cells (FEBS 09399) *A. Aranda, R.P. Copp, A. Pascual, H.H. Samuels* 179

Transcriptional activity of the phosphoenolpyruvate carboxykinase gene decreases in regenerating rat liver (FEBS 09400) *J. Milland, G. Schreiber* 184

Crystallization and preliminary X-ray studies of annexin IV (endonexin), a calcium-dependent phospholipid-binding protein (FEBS 09401) *C.M. Boustead, J.H. Walker, D. Kennedy, D.A. Waller* 187

Epitope mapping of human thyroglobulin reveals a central immunodominant region (FEBS 09402) *Y. Malthièry, M. Henry, E. Zanelli* 190

A heptapeptide repeat contributes to the unusual length of chloroplast ribosomal protein S18 Nucleotide sequence and map position of the *rpl*33-*rps*18 gene cluster in maize (FEBS 09403) *W. Weglöhner, A.R. Subramanian* 193

Correction of ornithine transcarbamylase (OTC) deficiency in spf-ash mice by introduction of rat OTC gene (FEBS 09404) *T. Shimada, T. Noda, M. Tashiro, T. Murakami, M. Takiguchi, M. Mori, K. Yamamura, T. Saheki* 198

Protection of reaction center II from photodamage by low temperature and anaerobiosis in spinach chloroplasts (FEBS 09405) *D. Kirilovsky, A.-L. Etienne* 201

The *nirSTBM* region coding for cytochrome cd_1-dependent nitrite respiration of *Pseudomonas stutzeri* consists of a cluster of mono-, di-, and tetraheme proteins (FEBS 09406) *A. Jüngst, S. Wakabayashi, H. Matsubara, W.G. Zumft* 205

Cloning and sequencing of *Lol* pI, the major allergenic protein of rye-grass pollen (FEBS 09407) *I.J. Griffith, P.M. Smith, J. Pollock, P. Theerakulpisut, A. Avjioglu, S. Davies, T. Hough, M.B. Singh, R.J. Simpson, L.D. Ward, R.B. Knox* 210

Desensitization is a property of the cholinergic binding region of the nicotinic acetylcholine receptor, not of the receptor-integral ion channel (FEBS 09411) *J. Kuhlmann, K.O. Okonjo, A. Maelicke* 216

Identification of a receptor protein for neuropeptide Y in rabbit kidney G-Protein association and inhibition of adenylate cyclase (FEBS 09408) *G. Gimpl, J. Wahl, R.E. Lang* 219

Proglycogen: a low-molecular-weight form of muscle glycogen (FEBS 09409) *J. Lomako, W.M. Lomako, W.J. Whelan* 223

Premature termination of transcription and alternative splicing in the human transacylase (E2) gene of the branched-chain α-ketoacid dehydrogenase complex (FEBS 09410) *K.S. Lau, J. Lee, C.W. Fisher, R.P. Cox, D.T. Chuang* 229

Purification of SecE and reconstitution of SecE-dependent protein translocation activity (FEBS 09412) *H. Tokuda, J. Akimaru, S. Matsuyama, K. Nishiyama, S. Mizushima* 233

Oxidation/reduction explains heterogeneity of pancreatic somatostatin (FEBS 09413) *M. Bersani, A.H. Johnsen, J.J. Holst* 237

The three-dimensional structure of the bifunctional proteinase K/α-amylase inhibitor from wheat (PKI3) at 2.5 Å resolution (FEBS 09415) *K.J. Zemke, A. Müller-Fahrnow, K.-D. Jany, G.P. Pal, W. Saenger* 240

Phorbol-ester-induced phosphorylation of the β_2-adrenergic receptor decreases its coupling to G_s (FEBS 09414) *M. Bouvier, N. Guilbault, H. Bonin* 243

Activation of phospholipase D in rabbit neutrophils by fMet-Leu-Phe is mediated by a pertussis toxin-sensitive GTP-binding protein that may be distinct from a phospholipase C-regulating protein (FEBS 09416) *Y. Kanaho, H. Kanoh, Y. Nozawa* 249

B–Z transition of poly(dG-m^5dC) induced by binding of Lys-containing peptides (FEBS 09417) *H. Takeuchi, N. Hanamura, H. Hayasaka, I. Harada* 253

Modulation of a *Shaker* potassium A-channel by protein kinase C activation (FEBS 09418) *O. Moran, N. Dascal, I. Lotan* 256

Protein kinase C subspecies in adult rat hippocampal synaptosomes Activation by diacylglycerol and arachidonic acid (FEBS 09420) *M.S. Shearman, T. Shinomura, T. Oda, Y. Nishizuka* 261

A high throughput assay for inhibitors of HIV-1 protease. Screening of microbial metabolites (FEBS 09419) *E. Sarubbi, M.L. Nolli, F. Andronico, S. Stella, G. Saddler, E. Selva, A. Siccardi, M. Denaro* 265

Use of ion exchange chromatography for the study of RecA-DNA interaction (FEBS 09424) *M. Takahashi, P. Hagmar* 270

Characterization of cucumber mosaic virus RNA-dependent RNA polymerase (FEBS 09421) *R. Quadt, E.M.J. Jaspars* 273

Specific activation of G_s by synthetic peptides corresponding to an intracellular loop of the β-adrenergic receptor (FEBS 09422) *A.H. Cheung, R.-R.C. Huang, M.P. Graziano, C.D. Strader* 277

Inhibitory effect of calcium-binding protein regucalcin on Ca^{2+}-activated DNA fragmentation in rat liver nuclei (FEBS 09426) *M. Yamaguchi, T. Sakurai* 281

Glycine-144 is required for efficient folding of outer membrane protein PhoE of *Escherichia coli* K12 (FEBS 09427) *H. de Cock, N. Quaedvlieg, D. Bosch, M. Scholten, J. Tommassen* 285

Zinc is required for folding and binding of a single zinc finger to DNA (FEBS 09428) *M.S. Lee, J.M. Gottesfeld, P.E. Wright* 289

Molecular resolution imaging of polyglucose by scanning tunneling microscopy (FEBS 09425) *J. Yang, K. Takeyasu, A.P. Somlyo, Z. Shao* 295

Cloning and sequencing of a leech homolog to the *Drosophila* engrailed gene (FEBS 09430) *C.J. Wedeen, D.J. Price, D.A. Weisblat* 300

Gibberellic acid stimulates acid invertase secretion in pea ovary protoplasts (FEBS 09433) *J.J. Estruch, J.P. Beltrán* 303

Phosphotyrosine as a specificity determinant for casein kinase-2, a growth related Ser/Thr-specific protein kinase (FEBS 09431) *F. Meggio, J.W. Perich, E.C. Reynolds, L.A. Pinna* 307

Thionein (apometallothionein) can modulate DNA binding and transcription activation by zinc finger containing factor Sp1 (FEBS 09432) *J. Zeng, R. Heuchel, W. Schaffner, J.H.R. Kägi* 310

The transport of glycolic acid by *Chlamydomonas reinhardtii* (FEBS 09434) *B.J. Wilson, N.E. Tolbert* 313

Activation of protein kinase C inhibits hormonal stimulation of the GTPase activity of Gi in human platelets (FEBS 09435) *G. Gutiérrez-Venegas, J.A. Garcia-Sáinz* 316

Tyrosine protein phosphorylation is required for protein kinase C-mediated proliferation in T cells (FEBS 09436) *E. Muñoz, A.M. Zubiaga, B.T. Huber* 319

Phosphorylation and activation of hormone-sensitive lipase in isolated macrophages (FEBS 09438) *C.A. Small, M.P. Rogers, J.A. Goodacre, S.J. Yeaman* 323

Saturation kinetics of palmitate uptake in perfused skeletal muscle (FEBS 09437) *L.P. Turcotte, B. Kiens, E.A. Richter* 327

Sequencing and cloning of the cDNA of guinea pig eosinophil major basic protein (FEBS 09439) *I. Aoki, Y. Shindoh, T. Nishida, S. Nakai, Y.-M. Hong, M. Mio, Tadayuki Saito, K. Tasaka* 330

Functional receptors for the insulinotropic hormone glucagon-like peptide-I(7–37) on a somatostatin secreting cell line (FEBS 09440) *H.C. Fehmann, J.F. Habener* 335

Saccharomyces cerevisiae gene SIT4 is involved in the control of glycogen metabolism (FEBS 09441) *F. Posas, J. Clotet, J. Ariño* 341

Purification and partial characterization of *Xenopus laevis* tenascin from the XTC cell line (FEBS 09443) *J. -F. Riou, D. Alfandari, M. Eppe, C. Tacchetti, M. Chiquet, J.C. Boucaut, J.P. Thiery, G. Levi* 346

Co-purification of a small RNA species with multicatalytic proteinase (proteasome) from rat liver (FEBS 09442) *H.E. Skilton, I.C. Eperon, A.J. Rivett* 351

Studies on the role of the S_4 substrate binding site of HIV proteinases (FEBS 09429) *J. Tözsér, A. Gustchina, I.T. Weber, I. Blaha, E.M. Wondrak, S. Oroszlan* 356

Errata and Corrigenda 361

Announcement 362

Author Index to volume 279 363

Contents to volume 279 368

Notes to Authors 371